

Food2Go

Fan heating + Compressor cooling



Product description

Food2Go is a mobile serving platform designed to hold and transport both hot and cold food. The box is built with ScanBox's ExP construction, combining optimized insulation performance with high operational reliability and environmentally conscious design choices.

As standard, Food2Go is equipped with two individual heating zones on top and a service surface. Below, there are two separate compartments: one with fan-assisted heating for even heat distribution, capable of reaching operating temperatures up to 90°C, and one with compressor

cooling that chills down to 3°C. Adjustable temperature and ventilation settings ensure precise control of food quality. The compartments have a capacity for 7 hot and 7 cold GN 1/1 containers.

Standard features include a central brake, single-grip handles, and removable U-shaped racks with 80 mm spacing for easy cleaning. The equipment can be customized with additional options such as heating lamps, tray slides, and other accessories to streamline the serving process. Contact us for more information.

Do you want to know more?

Contact us at info@scanbox.se
or +46 (0)454-30 83 00

ScanBox
Bringing your food with care

Technical specification

MODEL SERIE: Food2Go - Fan heating + Compressor cooling



| Product models | F2GCF |
|-----------------------------------|--------------------------------------|
| Properties | |
| Regulator | Digital |
| Heating system | Element with fan & ventilation (std) |
| Cooling system | Compressor |
| Capacity | |
| Tray system | GN 1/1 |
| Distance between racks (mm) | 80 |
| Number of 65mm trays | 14 |
| Maximum load weight per rack (kg) | 9 |
| Distance to the first rack (mm) | 65 |
| Physical Attributes | |
| Outside depth (mm) | 780 mm |
| Outside width (mm) | 1320 mm |
| Outside height (mm) | 1357 mm |
| Net weight (kg) | 140 kg |
| Spiral Cord | 4.5 m |
| Electrical Attributes | |
| Rated voltage (V) | 220-240V / 1 phase |
| Rated frequency (Hz) | 50-60 Hz |
| Power Rating (A) | 4.23 kW |
| Power (W) | 130 W |
| Power (W) | 350 W |
| IP code | 22 |

Equipment & Accessories

MODEL SERIE: Food2Go - Fan heating + Compressor cooling



Exterior

| | |
|----------|------------------|
| Default | Black (RAL 9005) |
| 303010-2 | Signature Logo |
| 302030-1 | Grey (RAL 7042) |
| 950001 | Signature Cover |
| 302020-1 | Red (RAL 3003) |

Door Handle

| | |
|----------|---------------------------|
| Default | One Grip Handle |
| 351008-2 | One Grip Handle with Lock |

Electric System

| | |
|----------|--------------------------------------|
| Default | 220-240V - Type CEE 7/7 |
| 898294-1 | 220-240V - Type K |
| 905390 | 220-240V - Type H |
| 4000556 | 220-240V - Type L |
| 898208-1 | 220-240V - Type J |
| 90001 | 220-240V - Type C |
| 898205-1 | 220-240V - Type G |
| 905817 | 220-240V - Type I |
| 898202-1 | 220-240V - Type G 1,5mm ² |
| 90004 | 220-240V - Type O |
| 898203-1 | 220-240V - Type I |
| 90002 | 220-240V - Type D |
| 4000241 | 220-240V - Type M |

Door

| | |
|---------|-------|
| Default | Solid |
|---------|-------|

Logistic System

| | |
|----------|-------------------------|
| 302002-2 | Tow Bar Stainless Steel |
| 302001-3 | Tow Bar VE |

Accessories

| | |
|----------|---------------------------------|
| 400003-1 | Eutectic Plate GN 1/1 |
| 400001-1 | Eutectic Plate Holder Ergo Line |

www.scanbox.se

Visiting adress ScanBox AB, Ekångsvägen 1. SE-293 40 Olofström, Sweden
Post adress ScanBox AB, P.O. Box 13. SE-293 21 Olofström, Sweden
Telephone +46 (0) 454 30 83 00 | Fax +46 (0) 454 30 83 30
Email info@scanbox.se | VAT SE556446828701

ScanBox
Bringing your food with care