

# Food2Go

Fan heating + Compressor cooling



## Product description

Food2Go is a mobile serving platform designed to hold and transport both hot and cold food. The box is built with ScanBox's ExP construction, combining optimized insulation performance with high operational reliability and environmentally conscious design choices.

As standard, Food2Go is equipped with two individual heating zones on top and a service surface. Below, there are two separate compartments: one with fan-assisted heating for even heat distribution, capable of reaching operating temperatures up to 90°C, and one with compressor

cooling that chills down to 3°C. Adjustable temperature and ventilation settings ensure precise control of food quality. The compartments have a capacity for 7 hot and 7 cold GN 1/1 containers.

Standard features include a central brake, single-grip handles, and removable U-shaped racks with 80 mm spacing for easy cleaning. The equipment can be customized with additional options such as heating lamps, tray slides, and other accessories to streamline the serving process. Contact us for more information.

### Do you want to know more?

Contact us at [info@scanbox.se](mailto:info@scanbox.se)  
or +46 (0)454-30 83 00

**ScanBox**  
*Bringing your food with care*

# Technical specification

MODEL SERIE: Food2Go - Fan heating + Compressor cooling



Product models	F2GCF
<b>Properties</b>	
Regulator	Digital
Heating system	Element with fan & ventilation (std)
Cooling system	Compressor back mounted (std)
<b>Capacity</b>	
Tray system	GN 1/1
Distance between racks (mm)	80
Number of 65mm trays	14
Maximum load weight per rack (kg)	9
Distance to the first rack (mm)	65
<b>Physical Attributes</b>	
Outside depth (mm)	780 mm
Outside width (mm)	1320 mm
Outside height (mm)	1357 mm
Net weight (kg)	140 kg
Spiral Cord	4.5 m
<b>Electrical Attributes</b>	
Rated voltage (V)	220-240V / 1 phase
Rated frequency (Hz)	50-60 Hz
Power Rating (A)	4.23 A
Power (W)	130 W
Power (W)	350 W
IP code	22

# Equipment & Accessories

## MODEL SERIE: Food2Go - Fan heating + Compressor cooling



### Exterior

Default	Black (RAL 9005)
303010-2	Signature Logo
302030-1	Grey (RAL 7042)
950001	Signature Cover
302020-1	Red (RAL 3003)

### Door Handle

Default	One Grip Handle
351008-2	One Grip Handle with Lock

### Electric System

Default	220-240V - Type CEE 7/7
898294-1	220-240V - Type K
905390	220-240V - Type H
4000556	220-240V - Type L
898208-1	220-240V - Type J
90001	220-240V - Type C
898205-1	220-240V - Type G
905817	220-240V - Type I
898202-1	220-240V - Type G 1,5mm <sup>2</sup>
90004	220-240V - Type O
898203-1	220-240V - Type I
90002	220-240V - Type D
4000241	220-240V - Type M

### Door

Default	Solid
---------	-------

### Logistic System

302002-2	Tow Bar Stainless Steel
302001-3	Tow Bar VE

### Accessories

400003-1	Eutectic Plate GN 1/1
400001-1	Eutectic Plate Holder Ergo Line

[www.scanbox.se](http://www.scanbox.se)

Visiting adress ScanBox AB, Ekångsvägen 1. SE-293 40 Olofström, Sweden  
Post adress ScanBox AB, P.O. Box 13. SE-293 21 Olofström, Sweden  
Telephone +46 (0) 454 30 83 00 | Fax +46 (0) 454 30 83 30  
Email [info@scanbox.se](mailto:info@scanbox.se) | VAT SE556446828701

**ScanBox**  
*Bringing your food with care*