

# Plated Line Single

Fan heating



## Product description

Plated Line Single is manufactured to hold and transport hot plated food easily and safely. The box is designed with ScanBox ExP construction that combines optimized insulation performance with high operational reliability and environmentally conscious choices.

The box is equipped with fan heating that provides fast and uniform heat distribution and can reach operating temperatures of up to 90°C in 30 minutes. Adjustable temperature and ventilation ensure

excellent food quality control. ScanBox Plated Line Single uses customized shelves to hold the plates in place.

Equipped with a stainless steel chassis, excenter lock, solid door, 160 mm lockable wheels, removable U-guide rails with 80 mm spacing, black RAL 9005, 220-230V single phase as standard. The equipment can be easily adapted as required through available extra options

### Do you want to know more?

Contact us at [info@scanbox.se](mailto:info@scanbox.se)  
or +46 (0)454-30 83 00

**ScanBox**  
*Bringing your food with care*

# Technical specification

## MODEL SERIE: Plated Line Single - Fan heating



Product models	PLSHF16
<b>Properties</b>	
Regulator	Digital
Heating system	Element with fan & ventilation (std)
<b>Capacity</b>	
Number of 65mm trays	16
<b>Physical Attributes</b>	
Inside depth (mm)	723 mm
Inside width (mm)	686 mm
Inside height (mm)	1367 mm
Outside depth (mm)	943 mm
Outside width (mm)	890 mm
Outside height (mm)	1765 mm
Volume (l)	551 l
Net weight (kg)	102 kg
Spiral Cord	4.5 m
<b>Electrical Attributes</b>	
Rated voltage (V)	220-240V / 1 phase
Rated frequency (Hz)	50-60 Hz
Power Rating (A)	7.98 A
Power (W)	1800 W
IP code	44

# Equipment & Accessories

## MODEL SERIE: Plated Line Single - Fan heating



### Exterior

Default	Black (RAL 9005)
303010-2	Signature Logo
302030-1	Grey (RAL 7042)
950001	Signature Cover
302020-1	Red (RAL 3003)

### Electric System

Default	220-240V - Type CEE 7/7
898294-1	220-240V - Type K
905390	220-240V - Type H
4000556	220-240V - Type L
898208-1	220-240V - Type J
90001	220-240V - Type C
898205-1	220-240V - Type G
905817	220-240V - Type I
898202-1	220-240V - Type G 1,5mm <sup>2</sup>
90004	220-240V - Type O
898203-1	220-240V - Type I
90002	220-240V - Type D
4000241	220-240V - Type M

### Door

Default	Solid
---------	-------

### Door Handle

Default	Excenter Lock
---------	---------------

### Logistic System

361020	Central Brake
302002-2	Tow Bar Stainless Steel
302001-3	Tow Bar VE

### Accessories

[www.scanbox.se](http://www.scanbox.se)

Visiting adress ScanBox AB, Ekångsvägen 1. SE-293 40 Olofström, Sweden  
Post adress ScanBox AB, P.O. Box 13. SE-293 21 Olofström, Sweden  
Telephone +46 (0) 454 30 83 00 | Fax +46 (0) 454 30 83 30  
Email [info@scanbox.se](mailto:info@scanbox.se) | VAT SE556446828701

**ScanBox**  
*Bringing your food with care*