### Tray Line Single

Neutral





### **Product description**

Tray Line Single is manufactured to hold and transport hot and cold food on trays according to the EN/VN standard. The box is designed with ScanBox ExP construction that combines optimized insulation performance with high operational reliability and environmentally conscious choices.

The box can be pre-cooled in refrigerated rooms. Extend storage by easily retrofitting runners for eutectic plate for further temperature retention. ScanBox Tray Line Single is available in several sizes with capacity of up to 10 trays.

Equipped with stainless steel chassis, excenter lock, solid door, 160 mm lockable wheels, removable guide rails with 110 or 115 mm spacing, black RAL 9005, as standard The equipment can be easily adapted as required through available extra options.

Do you want to know more?

Contact us at info@scanbox.se or +46 (0)454-30 83 00



# Technical specification MODEL SERIE: Tray Line Single - Neutral

Product models	TESNE08	TESNE10
Capacity		
Tray system	Euronorm Veskanorm	Euronorm Veskanorm
Distance between racks (mm)	115	115
Number of 65mm trays	8	10
Maximum load weight per rack (kg)	9	9
Distance to the first rack (mm)	20	20
Physical Attributes		
Inside depth (mm)	600 mm	600 mm
Inside width (mm)	402 mm	402 mm
Inside height (mm)	1047 mm	1207 mm
Outside depth (mm)	730 mm	730 mm
Outside width (mm)	550 mm	550 mm
Outside height (mm)	1392 mm	1552 mm
Volume (I)	253 I	291
Net weight (kg)	57 kg	64 kg



# Equipment & Accessories MODEL SERIE: Tray Line Single - Neutral



### Castors & Brakes

Default	Castors 160 mm swiveling with brake	
1000007	Castors 160 mm, stainless steel, swiveling with brake	
1000009	Castors 160 mm, all swiveling w. brakes	
1000010	Castors 160 mm, stainless steel, all swiveling w. brakes	
1000016	Castors 200 mm w. central brake	
1000008	Castors 160 mm, dish washable w. brake	
1000004	Castors 200 mm swiveling with brake	
1000005	Castors 160 mm reinforced, swiveling with brake	
1000015	Castors 160 mm w. central brake	
1000006	Castors 200 mm reinforced, swiveling with brake	
1000017	Castors 160 mm stainless steel w. central brake	

#### Exterior

Default	Black (RAL 9005)
303010-2	Signature Logo
302030-1	Grey (RAL 7042)
950001	Signature Cover
302020-1	Red (RAL 3003)

Door	
Default	Solid
Door Handle	
Default	Excenter Lock
361004	TapSlam
351008-2	One Grip Handle with Lock
301054-1	One Grip Handle
Logistic System	
302005	Ergonomic Base 320 mm
302006	Ergonomic Base 160 mm
361020	Central Brake
302002-2	Tow Bar Stainless Steel
302001-3	Tow Bar VE
Extras	
301058-1	Vertical Push Handle
Accessories	

400010-1

Card Holder

#### www.scanbox.se

Visiting adress ScanBox AB, Ekängsvägen 1. SE-293 40 Olofström, Sweden Post adress ScanBox AB, P.O. Box 13. SE-293 21 Olofström, Sweden Telephone +46 (0) 454 30 83 00 I Fax +46 (0) 454 30 83 30 Email info@scanbox.se I VAT SE556446828701

